

GROUP Q10. INSTRUMENTS AND MOUNTING. (Contd.)

SWITCH, instrument.	25	RD.4961	1	
Body.		RD.5273	1	
Knob.		RD.4943	1	
SWITCH, windscreen wiper.	26	RD.4963	1	
Body.		RD.5273	1	
Knob.		RD.4945	1	
SWITCH, fog-lamp.	27	RD.4966	1	V/W/X
Body.		RD.5273	1	
Knob.		RD.5816	1	
SWITCH, underseat heater, 3-position.	28	RD.6694	1	UUU
Body.		RD.6696	1	
Knob.		RD.6695	1	
WASHER, plain, 3 BA. terminal charging socket.		K. 4446/Z	2	Z/V/W/X
WASHER, plain, .250" dia. mounting bracket condenser clock.	X.85	K. 4407/Z	1	OO/PP
WASHER, spring, 5 BA. clock mounting.	X.87	K. 9003/Z	4	M/GG/HH
WASHER, spring, 5 BA. speedo. shield screw.	X.87	K. 9003/Z	4	
WASHER, spring, 5 BA. shield thermometer tube.	X.87	K. 9003/Z	4	
WASHER, spring, 3 BA. speedo. drive clip screw.	X.87	K. 9005/Z	2	M
WASHER, spring, 3 BA. speedo. drive clip screw.	X.87	K. 9005/Z	4	N
WASHER, spring, 2 BA. instrument to mounting plate.	X.87	K. 9006/Z	8	
WASHER, spring, 2 BA. instrument mounting plate.	X.87	K. 9006/Z	6	
WASHER, spring, 3 BA. terminal, socket charging plug.	X.87	K. 9005/Z	2	Z/V/W/X
WASHER, spring, 2 BA. speedo. drive clip frame.	X.87	K. 9006/Z	1	
WASHER, spring, 2 BA. speedo. drive clip dash.	X.87	K. 9005/Z	2	M
WASHER, spring, 2 BA. speedo. drive clip dash.	X.87	K. 9005/Z	4	N
WASHER, spring, .250" dia. mounting bracket condenser clock.	X.87	K. 9008/Z	1	OO/PP
WASHER, leather, oil pressure gauge union.		RD.4345	1	

GROUP Q11. LAMPS AND MOUNTING.

Comprising:

ANCHOR, spring centre lamp.	1	RD.3710	1	
BRACKET, assembly, support fog lamp.		RF.9566	2	⊕
BRACKET, assembly, fog lamp mounting bracket R.H.		RF.9578	1	⊕
BRACKET, assembly, fog lamp mounting bracket L.H.		RF.9579	1	⊕
CASING, stop tail lamp, R.H. complete with studs.	2	RD.3535/A	1	
CASING, stop tail lamp, L.H. complete with studs.		RD.3536/A	1	

GROUP Q11. (Continued Overleaf)

GROUP Q11. LAMPS AND MOUNTING. (Contd.)

COVER, support, bracket fog lamp.		RD. 5178	1	⊙
FLAP, hinged, mounting centre lamp.	3	RD. 3256	1	
LAMP, inspection, assembly, consisting of:	4	RD. 5454	1	ZZ
Bulb, 12v 6w, SBC.		RD. 4518	1	
Cable.		RD. 4351	1	
Casing.		RD. 4865	1	
Clip, plug.		RD. 4531	1	
Connection terminal plug.		D. 70396	2	
Insert, casing.		RD. 4866	1	
Insert, negative plug.		RD. 4332	1	
Insert, positive plug.		RD. 4331	1	
Moulding plug.		RD. 4333	1	
Screw, cheese-head, 5 BA, clip to lamp.		K. 1702/Z	2	
Sleeve, small cable, lamp.		RD. 4868	2	
Sleeve, large cable, lamp.		RD. 4869	1	
Unit, lamp.		RD. 4327	1	
Washer, FS, 5 BA.		K. 9003/Z	2	
LAMP, centre, assembly, consisting of:	5	RD. 5132	1	⊙
Bulb, 12v 48w.	6	RF. 4516	1	
Bush, rubber.	7	RD. 4745	2	
Cable,		RD. 4749	1	
Connector.	8	RD. 4744	1	
Extension.	9	RD. 5068	1	
Lamp, centre.	10	RD. 5141	1	
Nut.	11	RD. 4978	2	
Pedestal.	12	RD. 5070	1	
Sleeve, terminal connector.		RD. 3287	1	
LAMP, centre assembly, consisting of:		RD. 5141	1	⊗
Adaptor, assembly.		RD. 4469	1	
Bulb, 12v 48w.		RF. 4516	1	
Nut, lamp fixing.		RD. 4471	1	
Reflector, assembly.		RD. 4470	1	
Rim, assembly.		RD. 4467	1	
Spring, reflector fixing.		RD. 4468	1	
LAMP, centre, assembly, as above except bulb.		RD. 3328	1	+
Bulb, 12v 36w.			1	
LAMP, centre, assembly.	5A	RD. 5155	2	⊙
Bulb, 12v 36w SCC.	6A	RD. 4165	2	
Bush, rubber connectors.		RD. 4745	4	
Cable, lamp to connector.		RD. 4749	2	
Connector.		RD. 4744	2	
Nut.	11A	RD. 6109	2	
Sleeve, terminal.		RD. 3287	2	
Washer.		K. 4425/Z	2	

GROUP Q11. (Continued Overleaf)

GROUP Q.11. LAMPS AND MOUNTING. (Continued)

LAMP, head, assembly complete with (Home)	RD.3936	2	GGG
Bulb, 12v 48w	RF.4516	2	
LAMP, head, assembly complete with (Home)	13 RD.4544	2	HHH
Bulb, 12v 48/48w DC (L.H. Lamp)	RD.5296	1	
Bulb, 12v 48w (R.H. Lamp)	RF.4516	1	
LAMP, head assembly as above except lamp (Home)	RD.6650	1	JJJ
LAMP, head assembly complete with (All export except U.S.A. and Europe)	RD.3970	2	GGG
Bulb, 12v 36w DC	RD.4162	2	
LAMP, head, assembly, complete with (All export except U.S.A. and Europe)	RD.4544	2	HHH
Bulb, 12v 36w DC	RD.4162	2	
LAMP, head, assembly, as above except lamp (all export except U.S.A. and Europe)	RD.6650	2	JJJ
LAMP, head, assembly, complete with (Export Europe)	RD.4542	2	GGG
Bulb, 12v 36/36w 3 pin cap	RD.5330	2	
LAMP, head, assembly, complete with (Export Europe except France)	RD.4544	2	HHH
Bulb, 12v 36w	RD.5329	2	
LAMP, head, assembly, complete with (Export Europe except France)	RD.6650	2	JJJ
Bulb, 12v 36w	RD.5329	2	
LAMP, head, assembly, complete with (Export France)	RD.5446	2	HHH
Bulb, 12v 36/36 DC 3 pin cap	RD.5330	2	
LAMP, head assembly, as above except lamp	RD.6770	2	JJJ
LAMP, head (U.S.A.)	RD.5062	2	GGG/HHH
LAMP, head (U.S.A.)	RD.7053	2	JJJ
LAMP, luggage boot, assembly consisting of	14 RD.4253	1	V/V
Bracket	RD.3360	1	
Bulb, 16v 3w.	RD.4242	1	
Cable, lamp to earth	RD.4254	1	
Cable lamp to switch	RD.4255	1	
Clip	RD.3359	1	
Cover, bulb	RD.3358	1	
Cover, terminal	RD.3357	1	
Eye, cable to bulb holder and earth	RD.3955	2	
Holder bulb	RD.3353	1	

GROUP Q.11. (Continued overleaf)

GROUP Q11. LAMPS AND MOUNTING. (Contd.)

LAMP, luggage boot, assembly consisting of (Contd.)

Nut, half 3 BA.	K. 4304/Z	2	
Screw, cheese-head, 3 BA.	K. 1804/Z	2	
Sleeve, rubber.	RD. 3294	1	
Washer, spring, 3 BA.	K. 9005/Z	2	

LAMP, luggage boot, assembly, as above except:	RD. 4733	1	W/W
--	----------	---	-----

Cable, lamp to switch.	RD. 4711	1	
Eye, cable switch (Additional).	RD. 3406	1	

LAMP, map, assembly, as RD. 4253 except:	RD. 3959	1	KKK
--	----------	---	-----

Cable, lamp to earth.	RD. 3878	1	
Cable, lamp to switch.	RD. 3813	1	
Eye, cable earth.	RD. 3690	1	

LAMP, map assembly, as RD. 4733 except:	RD. 4314	1	LLL
---	----------	---	-----

Bracket lamp.	RD. 4278	1	
Cable, map lamp to switch.	RD. 4315	1	
Cable, map lamp to earth.	RD. 4316	1	
Eye, cable map lamp.	RD. 3955	2	
Eye, cable earth.	RD. 3690	1	
Sleeve, rubber cable eye.	RD. 7589	1	

LAMP, reverse including (L.C):	15	RD. 4716	2	
--------------------------------	----	----------	---	--

Bulb, 12v 24w.	RE. 10604	2	
----------------	-----------	---	--

LAMP, roof assembly with:	RD. 3462A	1	H
---------------------------	-----------	---	---

Bulb, festoon 12v 6w.	RD. 4241	1	
-----------------------	----------	---	--

LAMP, roof assembly with:	RD. 4613	1	A/J
---------------------------	----------	---	-----

Bulb, 12v 6w 5 BC.	RF. 4518	1	
--------------------	----------	---	--

LAMP, roof assembly as above:	16	RD. 4742	1	A/J
LAMP, stop tail assembly, consisting of:	RD. 3704	2	D	

(When no bulb indexing pin is fitted).

Bulb, 12v 24/6w.	RF. 4517	2	
Lamp stop tail.	RD. 3570	2	
Ring, spring, screw lamp.	RD. 3685	2	
Screw, fixing, 2 BA, lamp stop tail.	RD. 3684	2	

LAMP, stop tail assembly as above except:	RD. 3705	2	C
---	----------	---	---

(When no bulb indexing pin is fitted).

Screw, fixing 2 BA, lamp stop tail.	RD. 3683	2	
-------------------------------------	----------	---	--

LAMP, stop tail assembly as RD. 3704 except:	17	RD. 7066	2	D
--	----	----------	---	---

(When bulb indexing pin is fitted).

Bulb, 12v 18/6w.	RD. 6602	2	
Lamp.	RD. 7065	2	

GROUP Q11. (Continued Overleaf)

GROUP Q11. LAMPS AND MOUNTING. (Contd.)

LAMP, stop tail, assembly as above except		RD.7067	2	C
Screw		RD.3684	2	
LAMP, side assembly consisting of:	18	RD.4587	2	
Bulb,		RD.5085	2	
Screw, front motif		RD.6575	2	
MOTIF, wing lamp.	19	RD.4535	2	
MOTIF, head lamp.	20	RD.4534	2	GGG/HHH
MOTIF, head lamp.		RD.7125	2	JJJ
MOUNTING, centre lamp	21	RD.3255	1	
NUT, full, 2 BA, stop tail lamp	X.21	K.4006/Z	4	
NUT, half, 2 BA, luggage boot lamp bracket		CS.5506	2	W/WW
NUT, half, 2 BA, luggage boot lamp cable clip	X.24	K.4307/Z	3	
PAD, rubber stop tail lamp.	22	RD.3568	2	
PIECE, bridge, stop tail lamp	23	RD.3569	2	
PIN, pivot, centre lamp flap	24	RD.3240	1	
PIN, plain, .125" dia., spring anchorage	X.28	KB.4458/Z	1	
PIN, split, .031" dia., centre lamp	X.31	K.4646/Z	1	
RING, sealing, head lamp motif screw, 3 BA		RD.4562	2	
RING, sealing, head lamp motif screw, 5 BA		RD.4563	2	
SCREW, cheese-head, 3 BA, head lamp motif front fixing	X.45	K.1804/Z	2	
SCREW, cheese-head, 5 BA, head lamp motif rear fixing	X.44	K.1704/Z	2	
SCREW, C/sk. head 2 BA, fixing head lamp	X.50	K.2802/Z	16	
SCREW, hex. head, .250" dia., centre lamp mounting front fixing	X.55	KC.902/Z	2	
SCREW, hex. head, .250" dia., centre lamp mounting rear fixing	X.55	KC.201/Z	2	
SCREW, securing, rear wing motif	25	RD.6576	2	
SCREW, wood, No.4, attachment roof lamp		CS.34014/Z	2	J
SCREW, 2 BA, luggage and boot lamp bracket	26	CS.30562/Z	2	
SCREW, 4 BA, reverse lamp (LC)	27	CS.30053/Z	4	
SEAL, head lamp		RD.6700	2	
STRIP, tapping motif wing lamp	28	RD.4536	2	
SPRING, hinged flap, centre lamp	29	RD.3709	1	
WASHER, plain, 2 BA, bracket luggage boot lamp		CS.32044/Z	2	
WASHER, plain, 5 BA, centre lamp hinged flap		K.4401/Z	1	
WASHER, plain, 3 BA, head lamp motif, front fixing		K.4446/Z	2	
WASHER, plain, 5 BA, head lamp motif, rear fixing		K.4401/Z	2	
WASHER, spring, 2 BA, bracket luggage boot lamp		CS.6706/Z	2	
WASHER, spring, .250" dia., centre lamp mounting.	X.87	K.9008/Z	3	
WASHER, spring, 3 BA, head lamp motif front fixing		K.9005/Z	2	
WASHER, spring, 5 BA, head lamp motif rear fixing		K.9003/Z	2	
WASHER, spring, 2 BA, stop-tail light	X.87	K.9006/Z	4	

GROUP Q11. (Continued overleaf)

GROUP Q11. LAMPS AND MOUNTING. (Cont.)

NOTE: * Used if pedestal is not fitted to
centre lamp (Home cars).

@ Used if pedestal is fitted to centre
lamp (Home cars).

+ Used on export cars.

⊕ Used on later chassis in Australia.

GROUP Q12. MOTOR, STARTER.

Comprising:

BEARING, ball, driven gear R & M.		RD.5794	1
BEARING, ball, driven gear Fischer.		RD.7529	1
BEARING, ball, driven gear Hoffmann.	1	RD.3957	1
DOWEL, idler gear bearing pin support.	2	RD.3161	2
GEAR, driven, assembly, consisting of:	3	DW. 651A	1
Bush.		DW. 652	1
+ Gear.		DW. 651	1
Plate.		DW.6653	1
GEAR, driving, armature shaft.	4	DB. 986	1
GEAR, idler, assembly, consisting of:	5	DB. 987A	2
Bush.		DB. 713	1
+ Gear.		DB. 987	1
HOUSING, gear.	6	RD.4581	1
JOINT, gear housing to motor.	7	RD.3131	1
MOTOR, starter, R.C. assembly, including	8	RD.3127	1
Armature, Assembly (270931)		RD.4387	1
Bearing, Hoffmann LS5 (189295)		RD.4383	1
Bearing, Hoffmann L17 (189308)		RD.4386	1
Bolt .250" dia., trough fixing (255459)		RD.4389	2
Bracket, assembly, with brush boxes (271048)		RD.4381	1
Bracket, with studs (271047)		RD.4385	1
Brushes, set (271050)		RD.4384	1
Cover, assembly (270426)		RD.4380	1
Fields, set (271149)		RD.4388	1
Springs, set brush (271051)		RD.4382	1
MOTOR, starter L.C. same as above except for position of terminal.		RD.4584	1
NUT, armature shaft, retaining.	9	RD.3129	1
NUT, externally threaded, ball bearing, retaining.	10	D.76262	1
NUT, full, 2 BA, gear housing retaining stud	X.21	K. 4006/N	4
NUT, full, 2 BA, idler gear bracket, retaining stud	X.21	K. 4006	4

GROUP Q12 (Continued Overleaf)

GROUP Q12. MOTOR, STARTER. (Contd.)

PIN, bearing, idler gear.	11	DB. 857	2	
PLUG, lubrication hole.	12	RD. 5129	1	
SUPPORT, idler, gear bearing pin.	13	DB. 851	1	
WASHER, adjusting, idler gear, .025 " thick.	14	RD. 3579	2	A
WASHER, adjusting, idler gear, .030" thick.		RD. 3580	2	A
WASHER, adjusting, idler gear, .035" thick.		RD. 3581	2	A
WASHER, adjusting, idler gear, .040" thick.		RD. 3582	2	A
WASHER, adjusting, idler gear, .045" thick.		G. 50062	2	A
WASHER, adjusting, idler gear, .050" thick.		G. 50063	2	A
WASHER, adjusting, idler gear, .055" thick.		G. 50064	2	A
WASHER, adjusting, idler gear, .060" thick.		G. 50065	2	A
WASHER, adjusting, idler gear, .065" thick.		G. 50066	2	A
WASHER, aluminium, .312" dia. gear lubricator.	X.83	KB. 1077	1	
WASHER, lock, armature shaft retaining nut.	15	DB. 853	1	
WASHER, spring, 2 BA. gear housing retaining stud.	X.87	K. 9006/N	4	
WIRE, locking, ball bearing retaining nut.	16	RD. 3162	1	

N.B. - Lucas Part Numbers in brackets.

GROUP Q13. PLATE, REAR NUMBER.

Comprising:

NUMBER PLATE, rear assembly, (Lucas),
complete with:

	1	RD. 3257	1	
Bead, rubber.		RD. 4338		
Bulb, 12v. 24w. SCC, reverse.		RF. 4518	2	
Bulb, 12v. 3w. illumination.		RD. 5085	2	
Glass, reverse.		RD. 4435	2	
Glass, plate.		RD. 4441	1	
Strip sealing, reverse glass.		RD. 5337	2	
Strip sealing, plate glass.		RD. 5338	2	
Washer, plate glass.		RD. 4440	1	
Washer, reverse light.		RD. 4983	2	

NUMBER PLATE, rear assembly, (Lucas) as above
except:

		RD. 3930	1	
Glass reverse.		RD. 4435	1	
Glass reverse (amber).		RD. 4436	1	

NUMBER PLATE, rear assembly, (Cornercroft) with:

		RD. 4588	1	
Bulb, 12v. 6w. SCC, reverse.		RF. 4518	4	
Bulb, 12v. 3w. illumination.		RD. 5085	2	
Panel, glass.		RD. 7524	1	
Rim and glass assembly, c/w fixing screw.		RD. 7525	2	
Screw, fixing box to panel or		RD. 7519	4	
Screw, fixing box to panel.		RD. 7518	6	
Washer, cork.		RD. 7891	2	
Washer, fibre.		RD. 7592	6	

GROUP Q13. (Continued Overleaf)

GROUP Q13. PLATE, REAR NUMBER. (Contd.)

NUMBER PLATE, rear assembly, (Cornercroft), with:	2	RD.5677	1
Bulb, 12v. 24w. SCC.		RD.4166	2
Bulb, 12v. 3w., illumination.		RD.5085	2
Button, centre, with screw and washer.		RD.7772	2
Glass, moulded.		RD.7890	2
Panel, glass.		RD.7524	
Rim and glass assembly (includes RD.7890 of RD.7772).		RD.7738	2
Screw, fixing box to panel.		RD.7518	6
Washer, bezel, inner, aluminium (formerly fibre).		RD.7110	2
Washer, bezel, outer, cork.		RD.7892	2
Washer, fibre.		RD.7592	6
Washer, aluminium, reverse lamp.		RD.7110	2
SEAL, rear number plate (Lucas).	3	RD.3274	1
SEAL, rear number plate (Cornercroft).	4	RD.5299	1

GROUP Q13A. REAR LICENCE PLATE.
(Fitted only on cars for use in U.S.A.
and at customer's request).

Comprising:

BOLT, clamping, assembly with nut and stud.	3	RD.4339	1
BRACKET, adjustable.	4	RD.4334	1
BRACKET, rear number plate, assembly, consisting of:		RD.4318A	1
Bracket.		RD.4318	1
Stud.		KB. 365/Z	3
BRACKET, rear number plate assembly, consisting of:	5	RD.5247A	1
Bracket.		RD.5247	1
Stud.	X.68	KB. 350/Z	3
BULB, 12v. 6w. (2 off when RD.4318 is fitted).		RD.4997	1
LAMP, number plate (with RD.4318 bracket).		RD.4336	1
LAMP, number plate (with RD.5247 bracket).	6	RD.5248	1
NUT, dome, number plate.	7	RD.4337	1
NUT, half, .250" dia. bracket retaining.	X.24	K. 4310/Z	3
NUT, 2 BA. number plate.	X.24	K. 4307/Z	2
PAD, rubber, bracket.	8	RD.4335	1
SCREW, cheese-head, 2 BA., lamp (with RD.5247 bracket).	X.46	K. 1910/Z	2
WASHER, plain, .250" dia., bracket.	X.85	K. 4407/Z	3
WASHER, plain, .250" dia., number plate.	X.86	K. 8833	1
WASHER, spring, .250" dia.	X.87	K. 9008/Z	3
WASHER, spring, .250" dia., number plate.	X.87	K. 9008/Z	1
WASHER, spring, lamp (with RD.5247 bracket).	X.87	K. 9006/Z	2

GROUP Q13B REAR LICENCE PLATE (Switzerland).

Comprising:

BOX, junction, 4-way.	9	RD.3085	1	
BOLT, clamping.	3	RD.4339	1	
BRACKET, adjustable	10	RD.6213	1	
BRACKET, rear number plate assembly	11	RD.6214A	1	
Bracket		RD.6214	1	
Stud		KB.350/Z	3	
BULB, 12v. 6w., MBC, number plate lamp.		RD.4997	2	
CABLE, earth, L.H. stop lamp to number plate		RD.6217	1	
CABLE, supply, junction box, to rear number plate		RD.6216	1	
CABLE, supply, lamps to junction box		RD.6218	1	
CABLE, earth, lamps to junction box		RD.6219	1	
LAMP, number plate	6	RD.5248	2	
NUT, dome, number plate	7	RD.4337	1	
NUT, half, .250" dia., bracket retaining		K.4310/Z	3	
PAD, rubber, bracket	8	RD.4335	1	
PLATE, mounting, four-way junction box	12	RD.6215	1	
SCREW, cheese-head, 2 BA., lamp rear number plate	X.46	K.1910/Z	4	
SCREW, junction box, mounting	X.45	N.1807/Z	2	
WASHER, plain, .250" dia., bracket	X.85	K.4407/Z	3	
WASHER, plain, .250" dia., number plate.	X.86	K.8833/Z	1	
WASHER, FS, .250" dia.	X.87	K.9008/Z	3	
WASHER, FS, junction box mounting	X.87	K.9005/Z	2	
WASHER, GS, lamp fixing	X.87	K.9006/Z	4	

GROUP Q13C. TAIL LIGHT SWITCH. (Australia)

Comprising:

CABLE, tail junction box to tail light switch (supply)	RD.4791	1	
CABLE, tail light switch to tail junction box	RD.4792	1	
CABLE, tail light switch, number plate light	RD.4793	2	
CLIP, sleeve	RD.3434	5	
COVER, switch, assembly	RD.4768	1	
ESCUTCHEON, tail light switch	RD.4766	1	
EXTENSION, push button switch	RD.4785	1	
NUT, switch securing	RD.4784	1	
PLATE, assembly, switch mounting	RD.4772	1	
SCREW, self-tapping, switch cover	CS/31020/Z	6	
SCREW, 2 BA. c/sk, escutcheon	CS/33602/E	2	
SEAT, switch cover	RD.4771	1	
SHIM, switch	RD.4787	1	
SWITCH, tail light	RD.4795	1	B
WASHER, escutcheon	RD.4767	1	
WASHER, sealing, push button	RD.4786	1	
WASHER, switch body	RD.4788	1	

GROUP Q14. RADIO AND FITTINGS.

Comprising:

AERIAL, roof, assembly, fixed roof type.	1	RD.5218	1	
AERIAL, roof, assembly, sliding roof type.		RD.5217	1	
AERIAL, assembly, scuttle type		RD.6401	1	
BOLT, condenser to fuel pump retaining	X.10	K 202	2	
BOLT, 2BA, earthing strip, speedo. (coach built cars).		K. 103/Z	1	
BOLT, 2BA, earthing strip, body bracket (coach built cars).		K. 102/Z	3	
BRACKET, fuel pump condenser.	2	RD.3407	2	
CABLE, lead in, from aerial.	3	RD.6325	1	
CABLE, receiver to earth with cable eyes RD.3352	4	RD.3699	1	
CLIP, aerial lead in cable, lower	5	RD.3700	2	
CLIP, aerial lead in cable, upper.	6	RE.3529	1	
CONDENSER, electric clock (where fitted).		RD.5714	4	TTT
CONDENSER, electric clock (when 3-position heater and demister switches are fitted).		RD.6697	1	UUU
CONDENSER, dynamo, assembly, with:		RD.3412	1	PPP
Condenser.		RD.3410	1	
Eye, cable		RD.3100	1	
CONDENSER, dynamo, assembly, with:		RD.6080	1	
Condenser.		RD.3410	1	
Eye, Cable.		RD.3345	1	
CONDENSER, fuel pump, assembly, with:	7	RD.3414	2	
Condenser.		RD.3411	2	
Eye, cable.		RD.3533	2	
CONDENSER, horn relay, assembly with:		RD.4701	1	
Condenser.		RD.3410	1	
Eye, cable.		RD.3534	1	
Sleeve, rubber		RD.7589	1	
CONDENSER, ignition coil assembly, with:		RD.5230	1	
Condenser.		RD.3410	1	
Eye, cable.		RD.3533	1	
CONDENSER, windscreen wiper assembly.		RD.3411	1	
NUT, 2BA, clip aerial lead in.		CS.5703/Z	1	
NUT, .250" dia. condenser petrol pump		K.4310/Z	2	
NUT, 2BA, earthing strip to body bracket (coachbuilt cars)		K.4307/Z	1	
PACKING, rubber, radio receiver.	8	RD.3403	2	
PIECE, distance, roof aerial	9	RD.3724	1	
PIECE, distance, radio receiver	10	RD.4580	2	B
RECEIVER, radio (prior to 218CF)		RD.3395	1	
RECEIVER, radio (218CF onwards when metal finisher is fitted).	11	RD.4639	1	

GROUP Q14 (Continued Overleaf)

GROUP Q14. RADIO AND FITTINGS (Contd).

Comprising:

RECEIVER, radio (when wooden finisher is fitted).		RD.4954	1
SCREW, binding head, .250" dia. radio mounting.	12	CS. 30204/Z	5
SCREW, 2 BA. clip aerial lead in.	13	CS. 30566/Z	1
STRIP, earthing body bracket (coachbuilt cars).		RD.4806	3
STRIP, earthing gearbox side cover and silencer to frame (coachbuilt cars).		RD.4807	2
STRIP, earthing speedo. drive to dashboard (coachbuilt cars).		RD.4808	1
STRIP, earthing dash to frame (coachbuilt cars).		RD.4809	1
STRIP, earthing inter. exhaust pipe bracket to frame (coachbuilt cars).		RD.4811	1
STRIP, earthing, induction manifold to dash (coachbuilt cars).		RD.4812	1
WASHER, plain, earthing strip, body bracket (coachbuilt cars).		K. 4404/Z	3
WASHER, spring, .250" dia. fuel pump condenser and radio mounting.	X.87	K. 9008/Z	7
WASHER, spring, 2 BA, aerial lead in clip upper.	14	CS.6731/Z	1
WASHER, spring, earthing strip, speedo. drive (coachbuilt cars).		K. 9006/Z	1
WASHER, spring, earthing strip, body bracket (coachbuilt cars).		K. 9006/Z	3
WASHER, spring, aerial.		K. 9011/Z	1

SPECIAL PARTS REQUIRED WHEN UNDERSILL AERIAL IS FITTED.

AERIAL, undersill.	RD.3972	1
BOLT, .312" dia. aerial support.	K. 302/N	1
BOLT, .312" dia. earthing mounting bracket.	K. 303/N	1
BRACKET, support, aerial.	RD.4155	1
CABLE, lead in, aerial.	RD.3574	1
CLIP, aerial lead in cable.	RD.3700	1
NUT, earthing mounting bracket.	K. 4313/N	1
NUT, aerial support.	K. 4313/N	1
WASHER, plain, earthing mounting bracket.	K. 4410/N	1
WASHER, spring, earthing mounting bracket.	K. 9009/N	1
WASHER, spring, aerial support.	K. 9009/N	1

SPECIAL PARTS REQUIRED WHEN SINGLE ROD UNDERSILL AERIAL IS FITTED.

AERIAL, undersill.	RD.4578	1
BOLT, .312" dia. bracket.	K. 303/N	2
BRACKET, support single rod aerial.	RD.4579	2
CABLE, lead in, aerial.	RD.6326	1
GROMMET, aerial lead in, dash.	RD.4864	1
NUT, aerial bracket.	K. 4313/N	2
WASHER, spring aerial bracket.	K. 9009/N	2

GROUP Q14A. RADIO AND FITTINGS WHEN SPEAKER IS MOUNTED ON STEERING COLUMN.

AERIAL, roof assembly, (fixed roof type).	1	RD. 5217	1
AERIAL, roof assembly, (sliding roof type).		RD. 5218	1
AERIAL, (scuttle).		RD. 6401	1
BOARD, baffle, loudspeaker (L.C).		RD. 7537	1
BOARD, baffle, loudspeaker (R.C).	2	RD. 7536	1
BOLT, condenser to fuel pump retaining.	X.10	K. 202/Z	2
BOLT, 2 BA. control unit and centre support bracket to side bracket.	X. 9	K. 101/Z	2
BOLT, clamping bracket to mounting bracket.	X.10	KC. 202/Z	1
BOLT, clamping bracket to mounting bracket.	X.10	KC. 205/Z	1
BOLT, 2 BA. earthing strip, speedo. drive (coachbuilt cars).		K. 103/Z	1
BOLT, 2 BA. earthing strip to body bracket (coachbuilt cars).		K. 102/Z	3
BRACKET, assembly, radio mounting, R.H.	3	RD. 6620	1
BRACKET, assembly, radio mounting, L.H.	4	RD. 6621	1
BRACKET, clamping, steering column to bracket.	5	RD. 7535	1
BRACKET, fuel pump condenser.	6	RD. 3407	2
BRACKET, support, control unit, assembly.	7	RD. 7609	1
BRACKET, mounting rear, assembly.	8	RD. 7538	1
BRACKET, baffle to dash, assembly (R.C).	9	RD. 7602	1
BRACKET, baffle to dash, assembly (L.C).		RD. 7603	1
CABLE, control unit to power pack.	10	RD. 7042	1
CABLE, lead in from aerial.	11	RD. 6325	1
CABLE, receiver to earth with cable eyes, RD. 3352		RD. 3699	1
CLIP, aerial lead in, cable, lower.	12	RD. 3700	2
CLIP, aerial lead in, cable, upper.	13	RD. 3529	1
CLIP, earthing, speedo. drive (coachbuilt cars).		RD. 4805	1
CONDENSER, electric clock.		RD. 5714	1
CONDENSER, dynamo assembly, with:		RD. 6088	1
Condenser.		RD. 4224	1
Cable.		RD. 6089	1
Cover, terminal.		RD. 3106	1
Eye, cable.		RD. 3890	1
CONDENSER, fuel pump, assembly, with:	14	RD. 3414	2
Condenser.		RD. 3411	2
Eye, cable.		RD. 3533	2
CONDENSER, hose relay, assembly, with:		RD. 4701	1
Condenser.		RD. 3410	1
Eye, cable.		RD. 3534	1
Sleeve, rubber.		RD. 7589	1
CONDENSER, ignition coil, assembly, with:		RD. 5230	1
Condenser.		RD. 3410	1
Eye, cable.		RD. 3533	1
CONDENSER, windscreen wiper assembly.		RD. 3411	1

GROUP Q14A. (Continued Overleaf)

GROUP Q14A. RADIO AND FITTINGS WHEN SPEAKER
IS MOUNTED ON STEERING COLUMN. (Contd.)

CONTROL, unit, radio.	15	RD. 7041	1	
GROMMET, rubber support bracket.	16	RF. 5032	2	
LOUDSPEAKER, external.	17	RD. 7560	1	
NUT, 2 BA. upper lead in cable clip.	18	CS. 5703/Z	1	
NUT, 2 BA. earthing strip speedo. drive (coachbuilt).	X.24	K. 4307/Z	1	
NUT, 2 BA. earthing strip to body bracket (coachbuilt).	X.24	K. 4307/Z	3	
NUT, half, .250" dia. fuel pump condenser retaining bolt.	X.24	K. 4310/Z	2	
NUT, 2 BA. control unit and centre support bracket to side bracket.	X.24	K. 4307/Z	2	
PIECE, packing, radio received.	19	RD. 4580	2	B
PIECE, distance, roof aerial.	20	RD. 3724	1	
PIECE, distance, control unit.	21	RD. 7557	2	
PIECE, distance, steering column to bracket.	22	RD. 7542	1	
PIECE, distance, bolt, clamping bracket.	23	RD. 7543	1	
POWER unit.	24	RD. 7559	1	
SCREW, clip, lead in.	25	CS. 30566	1	
SCREW, wood, speaker to baffle.	26	CS. 31620/Z	4	
SCREW, .250" dia. binding head, radio mounting.	27	CS. 30204/Z	5	
SCREW, set, 2 BA. rear, control unit.	X.54	KC. 152/Z	1	
SCREW, set, 2 BA. side bracket to control unit.	X.54	KC. 174/Z	2	
SCREW, set, 2 BA. power amplifier to side bracket (R.H.)	X.54	KC. 152/Z	1	
SCREW, set, 2 BA. power amplifier to side bracket (L.H.)	X.54	KC. 170/Z	1	
SCREW, set, 2 BA. stiffener to power amplifier.	X.54	KC. 151/Z	2	
SCREW, baffle board to bracket.	28	CS. 30163/E	3	
STRIP, earthing body brackets (coachbuilt cars).		RD. 4806	3	
STRIP, earthing, gearbox side cover and silencer to frame (coachbuilt cars).		RD. 4807	2	
STRIP, earthing, speedo. drive to dashboard (coachbuilt cars).		RD. 4808	1	
STRIP, earthing, dash to frame (coachbuilt cars).		RD. 4809	1	
STRIP, earthing, inter exhaust bracket to frame (coachbuilt cars).		RD. 4811	1	
STRIP, earthing, induction manifold to dashboard (coachbuilt cars).		RD. 4812	1	
WASHER, FS. side bracket.		K. 9006/Z	2	
WASHER, FS. side bracket to control unit.		K. 9006/Z	2	
WASHER, FS. side rear, control unit.		K. 9006/Z	1	
WASHER, FS. power amplifier unit to side bracket.		K. 9006/Z	4	
WASHER, FS. control unit and centre support bracket to side bracket.		K. 9006/Z	2	
WASHER, FS. bolt, clamping bracket.		K. 9008/Z	2	
WASHER, FS. bolt, speaker to baffle.		K. 9008/Z	4	
WASHER, FS. aerial.		K. 9011/Z	1	
WASHER, FS. clip, lead in.		CS. 6731/Z	1	
WASHER, FS. condenser, petrol pump.		K. 9008/Z	2	
WASHER, FS. earthing strip speedo. drive.		K. 9006/Z	1	
WASHER, FS. earthing strip body bracket.		K. 9006/Z	3	
WASHER, FS. radio mounting.		K. 9008/Z	5	
WASHER, plain, 2 BA. rear, control unit.		K. 4416/Z	2	
WASHER, plain, 2 BA. rear control unit (bevelled edge).		KB. 3904/Z	1	
WASHER, plain, 2 BA. side bracket to control unit.		K. 4404/Z	2	

GROUP Q14A. (Continued Overleaf)

GROUP Q14A. RADIO AND FITTINGS WHEN SPEAKER
IS MOUNTED ON STEERING COLUMN. (Contd.)

WASHER, plain, power amplifier to side bracket.	KB.3904/Z	2
WASHER, plain, earthing strip, body bracket.	K. 4404/Z	3

GROUP Q14B. SPARES PARTS FOR RADIOMOBILE RECEIVER.

Comprising:

LAMP, 12v.	RD.4526	1
VALVE, W.81M. (113417A).	RD.4477	2
VALVE, X.81M. (113418A).	RD.4478	1
VALVE, DL.82. (113419A).	RD.4479	1
VALVE, KT.81. (113420A).	RD.4480	1
VALVE, U.82. (113421).	RD.4481	1
VIBRATOR, 12v. (36212H).	RD.4482	1

GROUP Q15. SWITCHBOX.

Comprising:

ARM, main contact, assembly, consisting of:	1	DW. 222	2
Arm.		D.74904	1
Bush.		D.74288	1
Connector.		D.74908	1
Shoe.		D.74905	1
Spring.		D.74909	1
Rivet, shoe, retaining.		KB.2356	2
Rivet, spring, retaining.		KB.2406	1
BALL, steel, .3125" dia., main and ignition levers.	2	RG.6954	2
BARREL, starter contact.	3	D.74946	1
BASE, switch, assembly, consisting of:	4	RD.3968A	1
+ Base.		RD.3968	1
+ Bush, ignition spindle.		D.75087	1
+ Bush, main spindle.		D.75088	1
+ Insert, screwed.		D.75085	2
+ Pivot.		D.75086	2
BODY, assembly, consisting of:	5	RD.3055A.	1
Body.		RD.3055	1
Bush.		E.85851	2
Stud, base and cover, retaining.		D.74955	3
BOLT, 5 BA. starter switch, retaining.	X.7	K.3711/Z	4
BRUSH, accessories, consisting of 6 stampings			
D.74925 - and dynamo brush stampings			
D.74260	6	D.74960	1
COVER.	7	RD.3056	1

GROUP Q15. (Continued Overleaf)

GROUP Q15. SWITCHBOX. (Contd.)

CARBON, contact, starter and retaining bush D.74661 (1) a spring D.74667.	8	D.76082	1	
LOCK, Vaughan.		D.75098	1	
NUT, 2 BA. switchbox mounting.		K. 4307/Z	2	
OPERATING, lever, ignition and cam (RD.6037).	9	D.76102	1	
OPERATING, lever main.	10	D.76103	1	
PACKING, brush.	11	D.74324	2	
PACKING, brush, accessories.	12	D.74924	1	
PACKING, brush, battery.	13	D.74928	1	
PACKING, brush ignition.	14	D.74931	4	
PACKING, brush, parking light and starter.	15	D.74296	4	
PIECE, coupling.	16	D.75873	1	
PIECE, distance.	17	D.54862	1	
PIN, split, .031" dia., contact spindle.	X.31	K. 4646/Z	2	
PLATE, angle, accessories.	18	D.74934	1	
PLATE, angle, dynamo arm.	19	D.74957	1	
PLATE, angle, fuel pump.	20	D.74938	1	
PLATE, angle terminals.	21	D.74939	3	
PLATE, angle terminals.	22	D.74940	2	
PLATE, backing, starter, switch, short.	23	D.74949	2	
PLATE, contact, long.	24	D.74950	2	
PLUG, ignition, lever spring, retaining.	25	D.74900	1	
PLUG, main lever spring, retaining.	26	D.74899	1	
PUSH, button, starter and insulating bush, D.74659 (1).	27	RD.3192	1	
RING, starter push.	28	E.51034	1	
SCREW, cheese-head, 7 BA. connection retaining.	X.43	K. 1669/Z	1	
SCREW, cheese-head, 5 BA. accessories brush.	X.44	K. 1722/Z	2	
SCREW, cheese-head, 5 BA. dynamo arm.	X.44	K. 1737/Z	2	
SCREW, cheese-head, 5 BA. finger spring.	X.44	K. 1750/Z	2	
SCREW, cheese-head, 5 BA. fuel pump connection.	X.44	K. 1713/Z	1	
SCREW, cheese-head, 5 BA. ignition supply.	X.44	K. 1707/Z	1	
SCREW, cheese-head, 5 BA. lamps connection.	X.44	K. 1731/Z	2	
SCREW, cheese-head, 5 BA. pass light brush.	X.44	K. 1707/Z	1	
SCREW, cheese-head, 3 BA. terminals.	X.45	K. 1801/Z	8	
SCREW, cheese-head, 2 BA. switchbox mounting.		K. 1910/Z	2	
SCREW, countersunk head, 5 BA. lock.	X.48	K. 2604/Z	5	
SPINDLE, ignition coupling, assembly, consisting of:	30	DW.558	1	
Contact.		D.54864	1	
Coupling.		D.74917	1	
Nut, half, 3 BA.		K. 4304/Z	2	
Piece, distance.		DW. 557	1	
Spindle, operating.		D.74918	1	
Washer, adjusting, .022 thick (24 SWG).		RD.3148	1	A
Washer, adjusting, .028" thick (22 SWG).		RD.3149	1	A
Washer, adjusting, .036" thick (20 SWG).		RD.3150	1	A
Washer, plain, 3 BA.		K. 4446/Z	1	
Washer, spring, 3 BA.		K. 9005/Z	1	

GROUP Q15. (Continued Overleaf).

GROUP Q.15. SWITCHBOX (Continued)

SPINDLE, main contact, assembly, consisting of:-	31	RD.3189A	1
Bush, insulating		D.74903	1
Bush, insulating, large		D.74898	1
Contact, front, main		D.74894	1
Contact, rear, main		D.74896	1
Coupling		D.74264	1
Coupling, barrel		D.74897	1
Nut, coupling, retaining		D.74265	1
Ring, securing		D.74276	1
Spindle		D.74895	1
Washer, insulating, large		D.50341	2
Washer, large steel, chamfered		D.74275	1
Washer, plain, thrust, large		RD.3190	1
Washer, insulating		RD.7546	1
SPRING, CAMS	32	RD.3191	2
SPRING, starter button return	33	D.74669	1
STOP, brush	34	D.74932	1
STOP, brush	35	D.74933	1
STOP, brush, parking light	36	D.74295	1
STOP, brush, to starter and ammeter	37	D.74926	1
SWITCH, master, contact maker	38	D.74902	1
TAB, locking, main switch lever	39	D.74266	1
WASHER, spring carbon contact	40	D.74668	1
WASHER, insulating, small, main contact spindle	41	D.1426	2
WASHER, plain, adjacent to spring washer on main contact spindle		K.4404/Z	1
WASHER, plain, finger spindle and spring		K.4402/Z	4
WASHER, plain, 3 BA, ignition switch		K.4446/Z	1
WASHER, plain, studs and terminals		K.4446/Z	11
WASHER, plain, thrust, small, main contact spindle	42	RD.3188	1
WASHER, spring, 7 BA, connection		K.9002/Z	1
WASHER, spring, 5 BA, brush screw, finger spring, lamp screws, starter switch		K.9003/Z	16
WASHER, spring, 3 BA, studs and terminals		K.9005/Z	11
WASHER, spring, 2 BA, main contact spindle		K.9006/Z	1
WASHER, spring, 2 BA, switchbox screw		K.9006/Z	2
WASHER, Thackeray, 3 BA cover studs		K.3902/Z	3
GUARD, switchbox keys		DW.868	1

GROUP Q.16. SWITCHES SEPARATE.

Comprising:

BASE, stop and reverse light switch assembly, consisting of:-	1	DW.237A	1
Base		DW.237	1
Insert, bracket		D.100456	2
Insert, terminal		D.73732	2

GROUP Q.16. (Continued overleaf)

GROUP Q16. SWITCHES SEPARATE. (Contd.)

CAP, spring, stop and reverse light switch.	2	DW. 235	1	
CAP, rubber, footswitch.	3	RD. 5153	1	
CLIP, cover, stop and reverse light switch.	4	DB. 410	1	
CLIP, tail light switch cables.	5	RD. 3434	1	x
CONTACT, stop and reverse light switch.	6	DB. 525	2	
COVER, stop and reverse light switch.	7	DB. 408	1	
NUT, roof light switch.	8	RD. 4118	2	VV
NUT, half, 3 BA. stop and reverse light contacts and terminals.	X.24	K. 4305/Z	4	
NUT, half, 3 BA. stop and reverse light switch base.	X.24	K. 4304/Z	2	
PIN, split, .062" dia., stop and reverse light spring cap retaining.	X.31	K. 4602/Z	1	
PLATE, contact stop, stop and reverse light switch.	9	DB. 526	2	
PLUNGER, stop and reverse light switch, assembly consisting of:	10	DW. 234A	1	
Rod, operating.		DW. 234	1	
Support, insulation.		DW. 233	1	
Tube, contact.		DB. 414	1	
SCREW, cheese-head, 2 BA, footswitch retaining.	X.46	K. 1910/Z	2	
SCREW, No.2, luggage boot lamp.	11	RD. 4778	2	W
SPRING, contact, stop and reverse light switch.	12	DB. 417	1	
SWITCH, foot, Lucas No.FS.22.	13	DB.2360	1	
SWITCH, progressive, on/off luggage boot lamp.	14	RD.4062	1	VV
SWITCH, seesaw, luggage boot lamp.	15	RD.3572	1	WW
SWITCH, progressive, on/off tail light.		RD.4062	1	x
SWITCH, door, roof light.	16	RD.3830	4	XX
SWITCH, roof light manual.	17	RD.3282	2	VV
SWITCH, roof light see saw.		RD.3572	2	WW/XX
SWITCH, starter solenoid, See Group Q1.				
WASHER, plain, stop and reverse light switch terminals.	X.85	K. 4447/Z	2	
WASHER, spring, 3 BA. stop and reverse light switch, base and contacts.	X.87	K. 9005/Z	6	
WASHER, spring, 2 BA. footswitch retaining.	X.87	K. 9006/Z	2	

x Normally fitted to cars for use in Australia.

GROUP Q17. TRAFFICATOR.

Comprising:

HANDLE, trafficator time switch.	1	RD.3466	1	
PIECE, distance, time switch.	2	RD.4560	1	
SCREW, time switch retaining.	3	RD.4350	2	
SCREW, trafficator fixing.	4	RD.3954	2	
SWITCH, time, assembly with handle screw.	5	RD.3107	1	

GROUP Q17. (Continued Overleaf)

GROUP Q17. TRAFFICATOR. (Contd.)

TRAFFICATOR, Lucas No. SF.34.LH. 54003A
assembly including:

	6	RD.3211	2
Arm, assembly.		RD.4444	1
Bulb, 12v.		RD.4167	1
Cover.		RD.4445	1
Eyelet.		RD.4448	1
Lead.		RD.4446	1
WASHER, locking trafficator, screw.	7	RD.3953	2
WASHER, spring, time switch screw.	8	RD.3273	2

GROUP Q18. WIPER WINDSCREEN (Berkshire).

Comprising:

ARM, wiper, assembly.	1	RD.4139	2
BLADE, wiper.	2	RD.4138	2
BOLT, .250" dia. motor mounting.	X.10	K. 209/Z	2
BUSH, rubber, fixing screw.	3	RD.3520	4
BUSH, rubber, fixing screw.		RD.3521	4
CABLE, earthing, with cable eye, KB.5593-4.	4	KB.5568A	1
COLLET, arm to spindle.	5	RD.4159	2
DRIVE, flexible, between gear boxes.	6	RD.3777	1
DRIVE, flexible, motor to gearboxes.	7	RD.3776	1
GEARBOX, Houdaille, RAD.37 with switch knobs.	8	RD.3775	2
GROMMET, rubber, drive cables.	9	RD.3436	1
GROMMET, rubber, wiper spindle.	10	RD.3275	2
MOTOR, Berkshire, with rubber mounting pad and distance pieces, RD.4041.	11	RD.3774	1
NUT, collet operating.	12	RD.4245	2
NUT, half, .250" dia. motor mounting bolt and dashboard, blanking screw.	X.24	K. 4310/Z	2
PACKING, rubber, gearbox mounting.	13	RD.3687	2
PIN, split, .062" dia. gearbox retaining.	X.31	K. 4601/Z	4
SCREW, binding, .250" dia. dashboard, blanking.		CS.30641/Z	1
STOP, rubber, blade retaining.	14	RD.4246	2
STUD, gearbox mounting (fitted in windscreen heater duct).	15	RD.3688	4
WASHER, plain, .250" dia. dashboard blanking.	X.84	KB.3905/Z	2
WASHER, plain, motor mounting bolt.	X.84	KB.3905/Z	2
WASHER, plain, wiper gearbox.	X.85	K. 4404	4
WASHER, rubber, fixing screw.	16	RD.3522	4
WASHER, spring, .250" dia. motor mounting bolt, and dashboard blanking.	X.87	K. 9008/Z	3
WIRE, locking stud.		RD.4328	4

GROUP Q18A. WIPER, WINDSCREEN (Lucas).

Comprising:

ARM, wiper, or	RD.4139	2
----------------	---------	---

GROUP Q18A. (Continued Overleaf)

GROUP Q18A. WIPER, WINDSCREEN (Lucas), (Contd.)

ARM, wiper.	1	RD.4816	2	
BLADE, or		RD.4138	2	
BLADE.	2	RD.7562	2	
BLOCK, rubber mounting.	3	RD.6222	3	
COLLET, wiper arm (used with RD.4139 arm).		RD.4244	2	
COLLET, wiper arm (used with RD.4816 arm).	4	RD.4819	2	
GROMMET, wiper spindle.	5	RD.4137	2	
GROMMET, cable.	6	RD.4237	1	
MOTOR, spindle boxes and drive assembly including: (R.C).		RD.4140	1	M
Cable and rack assembly with cross head.	7	RD.6227	1	
Clip, cable.	8	RD.6225	1	
Knob.	9	RD.5351	2	
Wheel box assembly with switch.	10	RD.6229	1	
Wheel box assembly less switch.		RD.6330	1	
MOTOR, spindle boxes and drive assembly (R.C) as above, except for cable assembly. (Used with RD.4139 arm).		RD.5443	1	N
MOTOR, spindle boxes and drive assembly (R.C) as above, except for spindle. (Used with RD.4816 arm).	11	RD.5950	1	N
MOTOR, spindle boxes and drive assembly (L.C) as above, except for re-arrangement of spindle boxes and drive. (Used with RD.4139 arm).		RD.4967	1	
MOTOR, spindle boxes and drive assembly (L.C) as above, except for spindle. (Used with RD.4816 arm).		RD.5641	1	
NUT, collet, wiper arm (used with RD.4139 arm).		RD.4245	2	
NUT, collet, wiper arm (used with RD.4816 arm).	12	RD.4820	2	
NUT, 2 BA. spindle box mounting (when fitted).		R. 4307/Z	4	
PIECE, distance, spindle boxes (when fitted).	13	RD.4143	4	
PLATE, mounting spindle box, R.H. (when fitted).	14	RD.4239	1	
PLATE, mounting spindle box, L.H. (when fitted).		RD.4240	1	
SCREW, cheese-head, 2 BA. spindle boxes mounting (when fitted).	X.46	K. 1907/Z	4	
SCREW, c/sk. head, 2 BA. spindle boxes mounting (when fitted).	X.50	K. 2807/Z	4	
STOP, wiper arm.		RD.4246	2	
WASHER, mounting, spindle boxes.	15	RD.4319	4	B
WASHER, plain, 2 BA. mounting spindle boxes.	X.85	K. 4404/Z	4	
WASHER, FS. 2 BA. mounting spindle boxes.	X.87	K. 9006/Z	4	

GROUP Q19. WIRING DASHBOARD.

Comprising:

CLIP, 18 mm. bore, PVC tubing, L.H. dash.	1	RD.3043	2	M
CLIP, 14 mm. bore, PVC tubing, R.H. dash.		RD.3042	1	M
CLIP, 18 mm. bore PVC tubing.		RD.3043	3	N
CLIP, Jubilee, loom to connection.		RD.4608	1	

GROUP Q19. (Continued Overleaf)

GROUP Q19. WIRING DASHBOARD. (Contd.)

CLIP, support sleeving.		RD. 5100	2	N
CLIP, L.H. dashboard conduits.		RD. 3058	3	N
CLIP, L.H. dashboard conduit.	2	RD. 3058	1	N
CLIP, foot switch conduit.	3	RD. 3059	2	M
CLIP, R.H. dash conduit.	4	RD. 3060	1	M
CLIP, R.H. dash conduit.		RD. 4936	1	N
CONDUIT, L.H. side of dashboard.	5	RD. 3062	1	M
CONDUIT, L.H. side of dashboard.		RD. 5105	1	N
CONDUIT, R.H. side of dashboard.	6	RD. 3063	1	M
CONDUIT, R.H. side of dashboard.		RD. 4937	1	N
CONDUIT, horizontal.	7	RD. 4014	1	M
CONDUIT, to foot switch.	8	RD. 3061	1	M
CONNECTION, switchbox loom to dashboard.	9	RD. 3073	1	
ELBOW, conduit, L.H. side of dashboard.	10	RD. 3065	1	M
ELBOW, conduit, L.H. side of dashboard.		RD. 5103	1	N
ELBOW, conduit, R.H. side of dashboard.	11	RD. 3066	1	M
ELBOW, conduit, R.H. side of dashboard.		RD. 5102	1	N
GROMMET, rubber.	12	RD. 3097	1	M
SCREW, cheese-head, 2 BA. conduit clip retaining.	X.46	K. 1904/Z	5	M
SCREW, cheese-head, 2 BA. conduit clip retaining (9 only on coachbuilt cars.)		K. 1904/Z	10	N
SCREW, cheese-head, 2 BA. conduit clip retaining.	X.46	K. 1907/Z	5	M
SCREW, cheese-head, 2 BA. conduit elbow retaining.	X.46	K. 1922/Z	4	
SCREW, cheese-head, 2 BA. conduit elbow L.H.		K. 1922/Z	2	N
SCREW, cheese-head, 2 BA. conduit elbow R.H.	X.46	K. 1928/Z	2	N
SCREW, cheese-head, 2 BA. connection to dash- board retaining.		K. 1904/Z	2	
WASHER, spring, 2 BA. conduit elbow clip and connection retaining screws.	X.87	K. 9006/Z	16	

GROUP Q20. WIRING, LOW TENSION AND FITTINGS.

Comprising:

BOLT, 2 BA, harness clip (R.C).	X. 9	K. 103/Z	25	O
BOLT, 2 BA, harness clip (R.C).		K. 103/Z	17	P
BOLT, 2 BA, harness clip (R.C).		K. 103/Z	18	Q
BOLT, 2 BA, harness clip (R.C).		K. 103/Z	19	N
BOLT, 2 BA, harness clip (L.C).		K. 103/Z	27	
CABLE, charging plug to connector (Reg 'E').		RD. 5755	1	U
CABLE, charging plug to connector (Dist. Board).		RD. 5756	1	R
CABLE, defroster switch to defroster unit.		RD. 3799	1	R
CABLE, defroster unit to earth.		RD. 3861	1	R
CABLE, distribution board '11' to coil.		RD. 4012	1	M
CABLE, footswitch to distribution board.		RD. 3794	1	R
CABLE, front junction box to horn L.H. & R.H.		RD. 6048	2	
CABLE, horn button, L.H. front junction box to horn relay.		RD. 5168	1	
CABLE, horn relay supply to horn relay coil.		RD. 3810	1	
CABLE, horn relay to L.H. front junction box (horn) (L.C).		RD. 5165	1	

GROUP Q20. (Continued Overleaf).