

SCHEDULE OF SPARE PARTS

REF. NO. PART NO.

QUANTITY
GROUP ASSY

NOTES

GROUP U7 Continued

BUMPER, rear (Cont'd)

Washer, spring, .437" dia., bumper to bracket	K.9011/Z	2	
Washer, spring, .437" dia., support bracket to frame	K.9011/Z	4	
Washer, spring, bracket to rear cross-member	K.9008/Z	8	Q

ENGINE, front support

Arch, support, assembly	3	RF.3408	1	
Bearing, nose assembly		RF.725	1	
Bolt, .375" dia., arch to crossmember bracket		RF.3249	4	
Bush, rubber		RF.727	2	
Nut, castellated .375" dia., arch to crossmember bracket bolt		KB.3585/Z	4	
Nut, full, .312" dia., nose bearing stud		K.4009/Z	2	
Packing, arch to crossmember bracket		RF.3245	2	
Pin, split, .093" dia., arch to crossmember bracket bolt		K.4608/Z	4	
Plate, front, shielding rubber bushes		RF.726	1	
Stud, .312" dia., plate to nose bearing		K.800/Z	2	
Washer, plain, .375" dia., arch to cross-member		K.4413/Z		B
Washer, spring, .312" dia., rear bearing stud		K.9009/Z	2	
Washer, support arch to frame		RF.7212		B

FRONT, shock damper

Stiffener, frame, LH	4	RF.3206	1	
Stiffener, frame, RH		RF.3205	1	
Washer, damper, feet		RF.3276	4	

GEARBOX, rear support

Nut, half, .312" dia.	5	K.4313/Z	2	
Support, rubber assembly		FW.1970	1	
Washer, spring		K.9009/Z	2	

GEARBOX, torque reaction rubber

Holder, rubber assembly with screw	6	FB.4537	2	
Nut, half, .437" dia., holder retaining		K.4319/Z	4	

SCHEDULE OF SPARE PARTS

REF. NO. PART NO. QUANTITY
GROUP ASSEMBLY NOTES

GROUP U7 Continued

GEARBOX, torque reaction rubber (Cont'd)

Rubber	RE.9001	2
Screw, adjusting torque rubber	FB.4541	2
Washer, plain, .437" dia.	K.9011/Z	4

PLATE, centre front crossmember

7

Bolt, .312" dia.	K.303/Z	3
Bolt, .312" dia.	K.304/Z	4
Nut, half, .312" dia.	K.4313/Z	7
Screw, hexagon head, .312" dia.	KC.295/Z	14
Washer, spring, .312" dia.	K.9009/Z	21

RADIATOR

8

Bush, rubber	RF.1313	1
Housing	RF.3346	1
Packing, .080 thick	RF.3343	1
Packing, .128 thick RF.3344 .160 thick RF.3345		
Piece, distance	RF.1309	1
Screw, hexagon head, .312" dia., housing retaining	KC.298/Z	4
Washer, spring, .312" dia., housing retaining	K.9009/Z	4

REAR, spring shackle

9

Bush, rear shackle	RF.7636	2
Screw, bush locating	FB.4302	2
Valve, meter	RE.10670	2
Washer, aluminium, 2BA	KB.1075	2

NOTE: * For use with pressed steel cars.

Q For use with coachbuilt cars.

= For use when rigid body mounting is required.

GROUP U8

SHIELD, EXHAUST PIPE HEAT

Comprising :-

BOLT, .250" dia., bracket to frame	K.241/Z	3
------------------------------------	---------	---

SCHEDULE OF SPARE PARTS

REF NO. PART NO.

QUANTITY
GROUP ASSY LY

NOTES

GROUP U8 Continued

BOLT, .250" dia., heat shield, front	K.203/Z	6	
BOLT, .250" dia., heat shield, rear	K.241/Z	16	
BRACKET, heat shield, rear	RE.13479	4	
BRACKET, heat shield, rear	RE.13480	4	
BRACKET, heat shield, rear	RE.13481	8	
BRACKET, support, front heat shield to frame	RF.9166	2	
BRACKET, support, front heat shield to frame	RF.9168	1	
NUT, .250" dia., heat shield, front	K.4310/Z	6	
NUT, .250" dia., heat shield, rear	K.4310/Z	16	
NUT, .250" dia., bracket to frame	K.4310/Z	3	
SHIELD, assembly front	RE.18002	1	
SHIELD, assembly rear	RE.18001	2	
WASHER, plain, .250" dia., heat shield, front	K.4007/Z	6	
WASHER, spring, .250" dia., bracket to frame	K.9008/Z	3	
WASHER, spring, .250" dia., heat shield front (6) and rear (16)	K.9008/Z	22	

GROUP U9

SHIELD, TORQUE ARM COILED PIPE

Comprising :-

BOLT, 2BA, shield to bracket	X9	K.102/Z	4	
NUT, half, 2BA, shield to bracket	X24	K.4307/Z	4	
SHIELD, LH	1	FB.5037	1	
SHIELD, RH	2	FB.5036	1	
WASHER, spring, 2BA, shield to bracket	X87	K.9006/Z	4	

GROUP U10

STAY TRANSVERSE (2 off per chassis)

Comprising :-

SCREW, hexagon head, .375" dia., stay retaining X57	KC.328/Z	1
STAY, transverse assembly with tapping block	1	RF.3966

U34/8/56.

SCHEDULE OF SPARE PARTS

REF NO. PART NO. QUANTITY
GROUP ASS'LY NOTES

GROUP U10 Continued

WASHER, plain, .375" dia., stay retaining screw	X84	KB.3907/Z	1
WASHER, spring, .375" dia., stay retaining screw	X87	K.9010/Z	1

NOTE: @ Coachbuilt cars only.

GROUP U11 STOP, REAR AXLE (2 off per chassis)

Comprising :-

BOLT, .312" dia., buffer to bracket	X11	K.308/Z	2
BUFFER, rubber	1	FB.4606	1
BUSH, inside rubber	2	FW.1360	2
CASING, rubber retaining	3	FB.3595	1
NUT, full, .312" dia., buffer to bracket bolt	X21	K.4009/Z	2
WASHER, spring, .312" dia., buffer to bracket bolt	X87	K.9009/Z	2

GROUP U12 UNDERSHEETS ENGINE (Synchromesh Gearbox)

Comprising :-

BRACKET, front, LH		RE.8691	1
NUT, half, .250" dia., bracket to undersheet (LC)	X24	K.4310/Z	13
NUT, half, .250" dia., bracket to undersheet (RC)		K.4310/Z	4
NUT, half, .250" dia., undersheet overflap (RC)		K.4310/Z	1
SCREW, .250" dia., bracket to undersheet (LC)	X55	KC.903/Z	9
SCREW, .250" dia., bracket to undersheet (RC)		KC.903/Z	13
SCREW, .250" dia., bracket to undersheet (LC)	X55	KC.202/Z	10
SCREW, .250" dia., bracket to undersheet (LC)	X55	KC.203/Z	1
SCREW, .250" dia., frame to rear	X55	KC.901/Z	1

U35/8/56.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO.

QUANTITY
GROUP ASS'Y

NOTES

GROUP U12 Continued

STAY, LH (LC)		RE.8694	1	
STAY, RH front		RE.3857	1	
STAY, RH rear		RE.4716	1	
UNDERSHEET, RH, front (LC)		RE.7649	1	
UNDERSHEET, RH, front (RC)		RE.4713	1	
UNDERSHEET, LH, front (LC)		RE.13400	1	
UNDERSHEET, LH, front (RC)		RE.13405	1	
UNDERSHEET, LH, rear (LC)		RE.13407	1	
WASHER, plain, .250" dia., bracket to undersheet (LC)	X85	K.4407/Z	7	
WASHER, plain, .250" dia., bracket to undersheet (RC)		K.4407/Z	4	
WASHER, plain, .250" dia., undersheet overlap RC		K.4407/Z	1	
WASHER, plain, bracket to undersheet (LC)		RE.5855	9	
WASHER, plain, bracket to undersheet (RC)		RE.5855	7	
WASHER, spring, bracket to undersheet (LC)	X87	K.9008/Z	27	
WASHER, spring, bracket to undersheet (RC)		K.9008/Z	13	
WASHER, spring, undersheet overlap (RC)		K.9008/Z	1	

GROUP U12A

UNDERSHEETS ENGINE (Automatic Gearbox)

Comprising :-

BRACKET, support, LH front undersheet		RE.8691	1	
NUT, half, .250" dia., undersheets		K.4310/Z	13	
SCREW, .250" dia., bracket undersheet		KC.202/Z	10	
SCREW, .250" dia., bracket undersheet		KC.203/Z	1	
SCREW, .250" dia., bracket undersheet		KC.903/Z	9	
SCREW, .250" dia., RH undersheet overlap		KC.901/Z	1	
STAY, undersheet, LH assembly (LC)		RE.18307	1	
STAY, undersheet, RH front		RE.3857	1	
UNDERSHEET, LH front assembly (LC)		RE.18305	1	
UNDERSHEET, RH rear		RE.18252	1	
UNDERSHEET, RH front		RE.18434	1	
UNDERSHEET, LH rear (LC)		RE.18303	1	
UNDERSHEET, LH front (RC)		RE.18726	1	

SCHEDULE OF SPARE PARTS

REF. NO. PART NO.

QUANTITY
GROUP ASS LY

NOTES

GROUP U12A Continued

WASHER, bracket to undersheet	RE.5855	9	
WASHER, plain, .250" dia., bracket undersheet	K.4407/Z	6	
WASHER, plain, .250" dia., RH undersheet overlap	K.4407/Z	1	
WASHER, spring, .250" dia., bracket, undersheets	K.9008/Z	26	
WASHER, spring, .250" dia., RH undersheet overlap	K.9008/Z	1	

GROUP U13 UNDERSHEETS, FRAME (Synchromesh Gearbox)

Comprising :-

BOLT, 2BA, baffle plate, cruciform	KA.102/Z	1	
NUT, 2BA, baffle plate, cruciform	K.4307/Z	1	
NUT, 2BA, protector to baffle plate	K.4307/Z	4	
NUT, .250" dia., undersheet to servo baffle plate	K.4310/Z	2	
PLATE, baffle, protector, servo	RE.6978	1	
PLATE, baffle, protector, servo	RE.18650	1	
SCREW, 2BA, protector to baffle plate	K.1910/Z	4	
SCREW, .250" dia., undersheet to servo baffle plate (RC)	KC.906/Z	2	
SCREW, .250" dia., undersheet to servo baffle plate (LC)	KC.902/Z	2	
SCREW, .250" dia., frame to undersheet, servo	KC.202/Z	2	
SCREW, .250" dia., bracket to undersheet, servo	KC.902/Z	2	
SEAL, rubber, plate to gearbox	RE.6979	1	
STRIP, retaining, rubber seal	RE.6999	1	
UNDERSHEET, servo	RE.6977	1	
UNDERSHEET, RH rear, servo	RE.6998	1	
WASHER, plain, servo baffle plate	RE.5855	2	
WASHER, plain, servo bracket to undersheet	RB.2945	1	
WASHER, plain, 2BA, protector to baffle plate	K.4404/Z	4	
WASHER, plain, 2BA, baffle plate, cruciform	K.4404/Z	1	
WASHER, plain, .250" dia., undersheet to servo baffle plate	K.4407/Z	2	
WASHER, plain, .250" dia., servo undersheet to frame	K.4407/Z	2	

SCHEDULE OF SPARE PARTS

REF. NO. PART NO.

QUANTITY
GROUP ASSY

NOTES

GROUP U13 Continued

WASHER, plain, .250" dia., servo undersheet to bracket	K.4407/Z	2	
WASHER, spring, 2BA, protector to baffle plate	K.9006/Z	4	
WASHER, spring, .250" dia., undersheet to servo plate	K.9008/Z	2	
WASHER, spring, .250" dia., frame to servo undersheet	K.9008/Z	2	
WASHER, spring, .250" dia., bracket to undersheet, servo	K.9008/Z	2	
WASHER, spring, 2BA, baffle plate cruciform	K.9006/Z	1	

NOTE: * Used on riveted frame only

Q Used on welded frame only

GROUP U13A UNDERSHEETS, FRAME (Automatic Gearbox)

Comprising :-

BOLT, .250" dia., undersheet, body bracket to dash	K.241/Z	2	
BOLT, .250" dia., undersheet, 1st and 2nd body bracket	K.421/Z	6	
BOLT, 2BA, baffle plate to cruciform	KA.102/Z	1	
BRACKET, support undersheet, LH (RC)	RE.18727	1	
SHIELD, oil, exhaust pipe	RE.18730	1	
NUT, .250" dia., body bracket undersheet to dash	K.4310/Z	2	
NUT, .250" dia., undersheet, 1st and 2nd body bracket	K.4310/Z	6	
NUT, .250" dia., oil shield, exhaust pipe (RC)	K.4310/Z	1	
NUT, 2BA, baffle plate cruciform	K.4307/Z	1	
PLATE, baffle, servo protector	RE.18442	1	* Q
PLATE, baffle, servo protector	RE.18673	1	
PLATE, protector, servo	RE.18258	1	
SCREW, .250" dia., baffle to undersheet	KC.902/Z	2	
SCREW, .250" dia., servo undersheet	KC.902/Z	4	
SCREW, .250" dia., oil shield, exhaust pipe (RC)	KC.202/Z	1	

U38/8/56.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO.

QUANTITY
GROUP ASSEMBLY

NOTES

GROUP U13A Continued

SEAL, rubber, undersheet, rear RH	RE.18260	1
SEAL, rubber, baffle plate	RE.18262	1
STAY, servo, undersheet, RH rear	RE.18437	1
STAY, oil shield exhaust pipe (RC)	RE.18729	1
STRIP, tapping, servo, upper	RE.18409	1
STRIP, tapping, servo, lower	RE.18410	1
STRIP, tapping, rear undersheet	RE.18259	1
UNDERSHEET, body bracket to dash, LH	RE.13435	1
UNDERSHEET, body bracket to dash, RH	RE.13436	1
UNDERSHEET, 1st and 2nd body bracket, RH	RE.13310	1
UNDERSHEET, 1st and 2nd body bracket, LH	RE.13311	1
UNDERSHEET, servo	RE.6977	1
WASHER, plain, bracket to undersheet	RB.2945	1
WASHER, plain, .250" dia., body bracket undersheet to dash	K.4407/Z	2
WASHER, plain, .250" dia., undersheet 1st and 2nd body bracket	K.4404/Z	6
WASHER, plain, .250" dia., baffle to undersheet	K.4407/Z	2
WASHER, plain, .250" dia., servo undersheet	K.4407/Z	4
WASHER, plain, .250" dia., oil shield exhaust pipe (RC)	K.4407/Z	1
WASHER, plain, 2BA, cruciform baffle plate	K.4404/Z	1
WASHER, plain		
WASHER, spring, .250" dia., body bracket undersheet to dash	K.9008/Z	2
WASHER, spring, .250" dia., 1st and 2nd body bracket undersheet	K.9008/Z	6
WASHER, spring, .250" dia., baffle to undersheet	K.9008/Z	2
WASHER, spring, .250" dia., servo undersheet	K.9008/Z	4
WASHER, spring, .250" dia., oil shield exhaust pipe (RC)	K.9008/Z	1
WASHER, spring, 2BA, cruciform baffle plate	K.9006/Z	1

NOTE: * Used on riveted frames only

O Used on welded frames only

SCHEDULE OF SPARE PARTS

REF NO. PART NO.

QUANTITY
GROUP ASSEMBLY

NOTES

SECTION U.

Bentley Continental 'R' Type.
As for Bentley 'R' Type except.

GROUP U.1.

BOLT, .250" dia., valance to dashboard bracket	K.241/Z	6	
BOLT, 2 BA, adjustable cover, cold air intake L.H. valance plate (LC)	K.102/Z	1	
CLIP, assembly, bonnet stay	RE.9102	2	
COVER, adjustable, cold air intake L.H. valance plate (LC)	RE.13661	1	
NUT, half, .250" dia., valance to dashboard bracket	K.4310/Z	6	
NUT, half, .250" dia., cold air blanking plate (RH valance plate)	K.4310/Z	2	
NUT, 2 BA, adjustable cover, cold air intake L.H. valance plate (LC)	K.4006/Z	1	
PLATE, blanking, cold air intake (RH valance plate)	RE.18421	1	
PLATE, blanking, valance extension, top LH	RE.18776	1	
PLATE, valance, LH, assembly (RC) with	RE.18160	1	
Bracket, bonnet stay assembly	RE.4868	1	
Bracket, support, oil can	RE.4827	1	
Clip, oil can	RE.18168	1	
Clip, starting handle	RE.5950	3	
Clip, grease gun	RE.18169	2	
Clip, oil syringe	RE.5949	2	
Nut, clinch, .250" dia., side plate	CS.30993	8	
Nut, clinch, 2 BA, wiring clips	CS.30982	3	
Plate, valance	RE.18161	1	
Rivet, 187" dia., clips	KB.1950	18	
PLATE, valance, LH assembly (LC) as above except	RE.18082	1	
Plate, valance	RE.18081	1	
PLATE, valance (RH) assembly (RC) with	RE.18848	1	
Bracket, bonnet, stay, assembly	RE.4868	1	
Bush, hank, rivet, flasher unit	RF.9222	4	
Nut, clinch, .250" dia., side plate	CS.30993	8	
Nut, clinch, 2 BA, wiring clips	CS.30982	5	
Plate, valance	RE.18841	1	

SCHEDULE OF SPARE PARTS

REF NO. PART NO.

QUANTITY
GROUP ASSY

NOTES

SECTION U (Continued)GROUP U.1. (Continued)PLATE, valance, (RH) assembly (LC) as above
except

RE.18431 1

Grommet, starter switch

RF.5032 2

Plate, valance

RE.18006 1

PLATE, valance extension, front LH assembly
with

RE.18780 1

Bush, hank rivet

FB.4338 4

Bush, hank rivet

FB.3961 3

Plate

RE.18778 1

PLATE, valance extension front RH assembly
as above except

RE.18781 1

Plate

RE.18771 1

PLATE, valance extension top LH assembly with

RE.18776 1

Bush, hank rivet

FB.4338 1

Nut, clinch 2 BA

CS.30982 10

PLATE, valance extension, top RH assembly with

RE.18775 1

Bush, hank rivet

KB.4338 1

RIVET, side tape attachment

RE.11772 24

SCREW, .250" dia., backing plate, cold air
intake RH valance plate

KC.202/Z 2

SCREW, .250" dia., flasher unit

K.200L/Z 1

SCREW, .250" dia., flasher relay

KC.902/Z 2

SCREW, .250" dia., wing attachment

KC.905/Z 10

SCREW, .250" dia., valance to yoke

KC.905/Z 10

SCREW, .250" dia., front extension to radiator
shell

KC.903/Z 8

SCREW, 2 BA, rear tape

CS.30122/Z 4

SCREW, rear tape, scuttle

RB.7370 4

SEAL, cold air intake RH valance plate

RE.18011 1

STAY, bonnet assembly, consisting of:-

RE.4879 2

Bolt, gimbal

RE.4869 1

Fastener, universal joint

RE.4866 1

Gimbal

RE.4870 1

Nut, 2 BA, 'T' type, gimbal to bracket

RE.13648 1

CU2/12/55.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO. QUANTITY NOTES
GROUP ASS'LYSECTION U (Continued)GROUP U.1 (Continued)

STAY, bonnet assembly, consisting of (Continued)

Rod, with fastener

Washer, 2 BA, bolt gimbal

Washer, Thackery, gimbal

RE.4879 2

RE.4880 1

K.4404/Z 1

K.3804/Z 1

TAPE, bonnet side

TAPE, bonnet rear

WASHER, plain, .250" dia., flasher relay

WASHER, plain, .250" dia., plate, cold air
intake RH valance plateWASHER, plain, .250" dia., valance to dashboard
and wing attachmentWASHER, plain, valance plate extensions to yoke
and radiator shellWASHER, plain, 2 BA, adjustable cover, cold air
intake, LH valance plate (LC)

WASHER, spring, flasher relay (2) and unit (1)

WASHER, spring, valance plates to dashboard and
wing attachmentWASHER, spring, valance plate extension to yoke
and radiator shellWASHER, spring, blanking plate, cold air intake
RH valance plateWASHER, spring, adjustable cover, cold air
intake, LH, valance plate (LC)

RB.2538 2

RB.2539 2

K.4407/Z 2

K.4407/Z 2

RE.2945 16

RF.2945 18

KB.3904/Z 1

K.9008/Z 3

K.9008/Z 16

K.9008/Z 18

K.9008/Z 2

K.9006/Z 1

GROUP U.2.Continental.

BRACKET, foot brake bellcrank (Additional) RF.10330

GROUP U.3.

BAR, centre, front bumper

BUMPER, assembly

OVERRIDER

PLATE, picture assembly RH, with brackets

PLATE, picture assembly LH, with brackets

RF.10016 1

RF.9909 1

RF.9849 2

RF.10014 1

RF.10015 1

CU3/12/55.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO. QUANTITY GROUP ASSEMBLY NOTES

SECTION U (Continued)GROUP U.3. (Continued)

SPRING, inner, RH	RF.10012	1	
SPRING, inner, LH	RF.10013	1	
SPRING, outer, RH	RF.10010	1	
SPRING, outer, LH	RF.10011	1	
WASHER, plate, override	RF.10018	2	

GROUP U.4.

BAR, tie rear bumper	RF.10027	1	
BUMPER, assembly	RF.9910	1	
OVERRIDE	RF.9849	2	
PLATE, picture assembly, RH with brackets	RF.10024	1	
PLATE, picture assembly, LH with brackets	RF.10023	1	
SPRING, inner, RH	RF.10028	1	
SPRING, inner, LH	RF.10029	1	
SPRING, outer, RH	RF.10030	1	
SPRING, outer, LH	RF.10031	1	
WASHER, plate, override	RF.10018	2	

GROUP U.5.

	Continental	Qty.	Standard	Qty.
BOLT, 2 BA, sealing cover to tie-bar (automatic gearbox)	K.102/Z	4		
BRACKET, closing, toeboard support assembly(synchromesh gearbox)	RF.8214	1	RF.6833	1
BRACKET, closing, toeboard support assembly(automatic gearbox)	RF.10088	1	RF.6454	1
CLIP, harness, windscreen wiper	RF.9226	3	RF.9226	1
DASHBOARD, assembly (Synchromesh gearbox)	RF.10162	1	RF.9217	1
Bush, hank, rivet, seal revolution counter	FB.4336	4		
DASHBOARD, assembly (synchromesh gearbox) as above except for drilling	RF.10349	1		*
DASHBOARD, assembly (automatic gearbox)	RF.10087	1	RF.9509	1
Bush, hank rivet seal revolution counter	FB.4336	4		

CU4/12/55.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO. QUANTITY
GROUP ASS'LY NOTESSECTION U (Continued)GROUP U.5.A. (Continued)Continental Qty. Standard Qty.

INSULATION, dashboard (synchromesh gearbox)	RF.9860	1			0
INSULATION, dashboard (synchromesh gearbox)	RF.9861	1	RF.6629	1	3
INSULATION, dashboard (automatic gearbox)	RF.9861	1	RF.6629	1	
GROMMET, windscreen wiper lead (automatic gearbox)	RF.6111	2	RF.6611	1	
GROMMET, ignition coil RF.6100 deleted) (automatic gearbox)					
NUT, seal cover to tie bar	K.4307/Z	4			
PANEL, Flincote, dashboard (automatic gearbox)	RF.10147	1	RF.10005	1	
SCREW, set, .250" dia., tie bar to dash (synchromesh gearbox)	KC.201/Z	4	KC.201/Z	3	0
SCREW, set, .250" dia., tie bar to dash	KC.201/Z	2	KC.201/Z	3	
SCREW, set, .250" dia., heater pipe clip (automatic gearbox)	K.2010/Z	2			
SCREW, 2 BA, steering column, seal and closing bracket	K.1910/Z	6	(K.2010/Z K.2013/Z	4 4	
SCREW, 2 BA, toeboard and speaker bracket	K.1910/Z	4	K.1910/Z	2	
TIE BAR, steering column cut away (synchromesh gearbox)	RF.8215	1			0
TIE BAR, steering column cut away (synchromesh gearbox)	RF.7144	1			3
TIE BAR, steering column cut away (automatic gearbox)	RF.10144	1	RF.6549	1	
WASHER, plain, 2 BA, steering column seal to dash (automatic gearbox)	K.4404/Z	6			
WASHER, plain, .250" dia., mounting strip, solenoid switch (automatic gearbox)	K.4407/Z	2			
WASHER, spring, .250" dia., tie bar to dash (synchromesh gearbox)	K.9008/Z	4	K.9008/Z	3	0
WASHER, spring, .250" dia., tie bar to dash (automatic gearbox)	K.9008/Z	2	K.9008/Z	3	
WASHER, spring, .250" dia., heater pipe clip (automatic gearbox)	K.9008/Z	2			
WASHER, spring, 2 BA, seal cover to tie bar (automatic gearbox)	K.9006/Z	4			

CU7/12/55.

SCHEDULE OF SPARE PARTS

REF. NO. PART NO. QUANTITY GROUP ASSEMBLY NOTES

SECTION U (Continued)GROUP U.5.A. (Continued)Continental Qty. Standard Qty.

WASHER, spring, 2 BA, steering column
seal and cloding bracket
(automatic gearbox)

K.9006/Z 6

NOTE:- 0 Fitted with centre gear change.

* Fitted with column gear change.

= Required on cars exported to France and fitted with
supply tank for master cylinder.GROUP U.8.

BOLT, .250" dia., shield to frame

K.203/Z 6

NUT, .250" dia., shield to frame

K.4310/Z 6

SHIELD, heat, assembly consisting of:-

RE.18002 1

Panel, bottom

RE.13475 1

Panel, main

RE.13471 1

Panel, top

RE.13474 1

WASHER, plain, shield to frame

K.4407/Z 6

WASHER, spring, shield to frame

K.9008/Z 6